

ADVOCACY FACT SHEET

Ethiopia Overview



Population 128.7 million¹ - Low income¹ - 0.492 HDI² - GDP USD 163.7 billion / ETB 8.72 trillion¹

- Growing, Unmet Vision Needs:** In 2022, over 38 million Ethiopians (31%) required vision correction, with 87% (33 million) having uncorrected poor vision. Vision impairment (VI) increased by over 30% from 2010-2020. VI among adults aged 40+ varies by region, with up to 41.8% affected (mainly due to uncorrected refractive error). Childhood myopia grows, with 8.49% affected in Bahir Dar.
- Barriers to Access:** Eye care access is hindered by workforce shortages (1.4 ophthalmologists per million), low insurance coverage, high eyeglasses costs from import taxes, and rural infrastructure gaps. Financial constraints and lack of awareness limit service use. Community-based health insurance excludes optical services and spectacle coverage, increasing out-of-pocket costs.
- Urgent Actions for Improvement:** Expanding health insurance, integrating eye health into national policies, ensuring tax exemption or lower import duties on low-cost eyeglasses, and increasing outreach, are critical. School-based screenings, telerefraction, and workforce expansion can improve access. Public education and multisectoral collaboration are essential to reduce avoidable VI.

The Global State of Vision

The World Health Organization (WHO) recognizes uncorrected refractive error (URE) as **the primary cause of vision impairment (VI), the second cause of blindness, and the largest unaddressed disability worldwide.**³

Two sets of research estimate **global prevalence of poor vision** caused by URE  (URE includes myopia, hyperopia, astigmatism and presbyopia. It results in reduced visual acuity, leading to blurred vision and, when severe, visual impairment).⁴ **-1.1 billion** people live with **avoidable VI** (WHO; visual acuity cut-off 6/12)³, and **2.7 billion** or **1 in 3 people** have URE (Essilor; visual acuity cut-off 6/9)⁵.



Vision impairment costs the global economy US\$411 billion in yearly productivity losses.⁶

Without action, **half the global population**, roughly **4.8 billion**, is set to have a VI, primarily myopia, by **2050.**⁶ 

Over 90% of VI cases are preventable, and/or treatable with existing, cost-effective interventions.⁶ Globally, only 36% of people with distance VI due to refractive error (RE) have access to the appropriate care they need.⁷




With this baseline (36%), the 74th World Health Assembly (WHA) endorsed a global target for a **40% increase in effective coverage of refractive errors (eREC) by 2030.**⁸

The **WHO SPECS 2030 Initiative**⁹, building on WHA¹⁰/UNGA¹¹ resolutions, particularly the eREC target, assists countries and stakeholders in addressing the unmet need for spectacles while ensuring the delivery of quality eye care.



Vision Needs in Ethiopia (Research Studies)

- In 2022, **31%** (over 38 million people) of Ethiopia required vision correction. Of this, **over 87%** (over 33 million people) have **uncorrected poor vision**.¹²



- In 2020, total VI (near, mild, moderate-severe) was 8,048,844 - an increase from 2010-2020 by over 30%, and an increase from 1990-2020 by over 98%.¹³
- Adults:** In Southern Ethiopia, a study found 36.95% of adults aged 40+ had VI, mainly due to URE¹⁴ (**2024**). Another study found 41.8% older adults with VI (74.9% avoidable), 13.1% URE-caused¹⁵ (**2023**). Eye care utilization remains low; 32.98%, influenced by age, education, awareness¹⁶, income^{16,17} and health insurance¹⁶ (**2024**). In Debre Berhan, VI was found as 16.8%¹⁸ (**2021**), and 29% in Southern Ethiopia¹⁹ (**2023**). A Debre Markos study found literacy and screening are crucial for elderly and rural residents²⁰ (**2021**).
- Children:** A study found Northwest Ethiopian parents' eye health misconceptions and barriers like cost and distance hinder access to children's eye care, with distinct sociocultural norms and scarce facilities increasing vulnerability²¹ (**2023**). Another study found VI from RE as 6% among children²² (**2022**). Myopia prevalence was 8.49% among schoolchildren in a Bahir Dar study, associated with age, screen time, and limited outdoor activity²³ (**2021**).
- Spectacle Use:** In a Hawassa study, 48.7% of adults underutilize spectacles due to cost, discomfort, and lack of awareness²⁴ (**2023**). In a Finote Selam study, near-vision spectacle coverage was low (28.42%) despite high near-VI, with affordability, health insurance, and awareness being key barriers²⁵ (**2020**).

Health System in Ethiopia

- Ethiopia's healthcare system comprises primary care (health posts & centers, primary hospitals), secondary care (general hospitals), and tertiary care (specialized hospitals)^{26,27}. Most health facilities are government owned, mainly in cities, and virtually non-existent in many rural areas²⁸. Health insurance coverage remains low (28.1% in 2019)²⁹, with Community-Based Health Insurance (CBHI) for informal sectors targeting 84% of the population, and Social Health Insurance (SHI) for formal sectors^{30,31}.
- Access is hindered by geographic and economic barriers^{32,33,34}, and workforce shortages^{32,33}, with 18% of the population lacking a health facility within a two-hour walk³³. Rural areas suffer from inadequate infrastructure^{32,33,34}, supply chain issues, and reliance on donor funding^{32,34}. Women^{27,35}, lower income individuals^{16,17,31,33,35,36}, and people with disabilities³⁷ are the most underserved.
- Key reforms like the Health Sector Transformation Plan II (HSTP II)³⁸ and National Health Equity Strategic Plan aim to improve equity, service quality, and financing, though progress remains slow³⁵. Conflict, especially in Amhara, Oromia, and Tigray³⁹, and cyclical drought crises³⁵, further disrupt healthcare access.

Vision Care in Ethiopia

- No. of ophthalmologists: 160; Ophthalmologists per million: 1.4; No. of optometrists: 336; Optometrists per million: 2.9; No. of allied ophthalmic personnel: 1091; Allied ophthalmic personnel per million: 10 (2019)¹³.
- The 2024-2026 National Eye Health Strategy prioritizes an integrated, people-centered approach with seven key objectives, including improving governance, financing, access, and workforce capacity^{26,40}. An Eye Care Situation Analysis Tool assessment was recently conducted⁴⁰. Limited funding and poor integration of eye health into the broader healthcare system hinder progress^{41,42}.
- School eye health programs, community-based health insurance, and child eye health (CEH) policies remain underdeveloped^{43,44,45}. Recently, efforts included integrating eye care into schools through a Ministry of Education strategy and strengthening primary eye care through training and policy support⁴⁶. Efforts to improve access, such as teacher-led school screenings and digital tools, show promise. A CBM-Peek school screening program in Addis Ababa identified vision issues in 11% of students and is expanding⁴³.
- Since spectacles are not a registered medical device, CBHI provides no coverage⁴⁷, and it also excludes optical services, exposing people to high out-of-pocket costs²⁶. Eyeglass costs are also driven by import taxes on low-cost unbranded lenses and frames⁴⁸.
- Ethiopia faces significant challenges in eye health, with a limited workforce, inadequate infrastructure, and low awareness contributing to high rates of avoidable blindness and vision impairment⁴⁶. About 80% of the population lives in rural areas with little to no access to eye care, and eye health workforce falls below WHO standards^{26,46}.
- **Professional Bodies and Associations:** [Ophthalmological Society of Ethiopia](#) (ESO); [Ethiopian Optometric Association](#) (EOA)

Key Recommendations from Evidence

- Expanding health insurance and community-based programs can enhance financial protection and healthcare access in Ethiopia²⁹. Strengthening domestic health financing, targeting vulnerable groups, and integrating noncommunicable disease services (RE) are crucial for universal health coverage⁴⁹. Ensuring tax exemption or lower import duties on spectacles can address cost-related barriers⁴⁸. Eye care system improvements can occur through training, infrastructure support, and service expansion, addressing gaps in uptake, supply chain, awareness⁵⁰, workforce, and integration⁴². Addressing VI requires targeted²⁰ and regular interventions¹⁵, school screenings²³, and outreach programs⁵¹. Eye health education for communities^{17,19,21,24}, health professionals²¹, teachers⁵², and drivers⁵³ is critical for increasing service utilization and reducing road accidents which requires strict regulation⁵³. Efforts should focus on reducing urban-rural disparities through facility expansion³³, digital health technologies³², staffing improvements, and poverty reduction strategies³³. Integrating comprehensive eye health into health systems can prevent avoidable vision loss, particularly in children⁵⁴.
- The World Health Assembly set a [global target](#) of a 40% increase in effective refractive error coverage (eREC)⁵⁵. The [WHO SPECS 2030](#) Initiative is a global framework aimed at supporting Member States to achieve this target through 5 strategic pillars; (s)ervices, (p)ersonnel, (e)ducation, (c)ost, and (s)urveillance and research⁵⁶.

References

- (1) World Bank. (2023). Ethiopia | Data. Worldbank.org. <https://data.worldbank.org/country/ethiopia>
- (2) World Population Review. (2024). Human Development Index (HDI) by Country 2024. World Population Review. <https://worldpopulationreview.com/country-rankings/hdi-by-country>
- (3) World Health Organization. (2019, October 8). World report on vision. Wwww.who.int; Geneva: World Health Organization. <https://www.who.int/publications/i/item/9789241516570>
- (4) WHO TEAM Noncommunicable Diseases. (2013, October 6). Blindness and vision impairment: Refractive errors. www.who.int; World Health Organization. <https://www.who.int/news-room/questions-and-answers/item/blindness-and-vision-impairment-refractive-errors>
- (5) Burton, MJ, Ramke, J, Marques, AP, Bourne, RRA, Congdon, N, Jones, I, et al. The Lancet Global Health Commission on Global Eye Health: Vision beyond 2020. Lancet Glob Health (2021), 9(4), e489–e551. [https://doi.org/10.1016/S2214-109X\(20\)30488-5](https://doi.org/10.1016/S2214-109X(20)30488-5)
- (6) Essilor. (2019, November 5). Eliminating Poor Vision in a Generation. What Will It Take To Eliminate Uncorrected Refractive Errors by 2050? The OneSight EssilorLuxottica Foundation. <https://onesight.essilorluxottica.com/research/eliminate-poor-vision-by-2050/>
- (7) World Health Organization. (2022). Report of the 2030 targets on effective coverage of eye care. World Health Organization. <https://iris.who.int/handle/10665/363158>
- (8) World Health Organization. (2021). Integrated people-centred eye care, including preventable vision impairment and blindness Global targets for 2030 Draft decision. In World Health Organization. https://apps.who.int/gb/ebwha/pdf_files/WHA74/A74_9Add3-en.pdf
- (9) World Health Organization. (n.d.). SPECS 2030. Wwww.who.int; WHO. <http://www.who.int/initiatives/specs-2030>
- (10) Resolution WHA73.4. Integrated people-centred eye care, including preventable vision impairment and blindness. In: Seventy-third World Health Assembly, Geneva, 3 August 2020. Geneva: World Health Organization; 2020. https://apps.who.int/gb/ebwha/pdf_files/WHA73/A73_R4-en.pdf
- (11) United Nations General Assembly Resolution A/75/L.108 – Vision for Everyone; accelerating action to achieve the Sustainable Development Goals, 6 July 2021. New York: United Nations; 2021. <https://www.undocs.org/en/A/75/L.108>
- (12) OneSight EssilorLuxottica Foundation data
- (13) International Agency for the Prevention of Blindness. (2021, February 23). Country Map & Estimates of Vision Loss - Ethiopia. The International Agency for the Prevention of Blindness. <https://www.iapb.org/learn/vision-atlas/magnitude-and-projections/countries/ethiopia/>
- (14) Deme, T. G., Mengistu, M., & Getahun, F. (2024). Prevalence and associated factors of visual impairment among adults aged 40 and above in Southern Ethiopia, 2022. Scientific Reports, 14(1), 2542. <https://doi.org/10.1038/s41598-024-53056-6>
- (15) Tegegn, M. T., Assaye, A. K., & Belete, G. T. (2023). Prevalence, causes and associated factors of visual impairment and blindness among older population in outreach site, Northwest Ethiopia. A dual center cross-sectional study. African Health Sciences, 23(3). <https://doi.org/10.4314/ahs.v23i3.79>
- (16) Bekele, M. M., Shumye, A. F., & Tegegn, M. T. (2024). Eye care service utilization and associated factors among adults in Debre Berhan Town, North Shewa, Ethiopia, 2023. Frontiers in Public Health, 12. <https://doi.org/10.3389/fpubh.2024.1440357>
- (17) Morka, E. D., Yibekal, B. T., & Tegegne, M. M. (2020). Eye care service utilization and associated factors among older adults in Hawassa city, South Ethiopia. PLOS ONE, 15(4), e0231616. <https://doi.org/10.1371/journal.pone.0231616>
- (18) Assefa, N. L., Admas, A. W., & Adimasu, N. F. (2020). Prevalence and associated factors of visual impairment among adults at Debre Berhan town, North Shewa, Ethiopia. BMC Ophthalmology, 20(1). <https://doi.org/10.1186/s12886-020-01586-8>
- (19) Merga, H., Amanuel, D., Fekadu, L., & Dube, L. (2023). A community-based cross-sectional study of eye care service utilization among the adult population in southern Ethiopia. SAGE Open Medicine, 11, 20503121231197865. <https://doi.org/10.1177/20503121231197865>
- (20) Abebe, H., Wagnew, F., Zeleke, H., Tefera, B., Tesfa, S., & Fetene, T. (2021). Magnitude of visual impairment and associated factors among patients attending ophthalmic clinics of Debre Markos referral hospital, north West Ethiopia. BMC Ophthalmology, 21(1). <https://doi.org/10.1186/s12886-021-01863-0>
- (21) Sherief, S. T., Tesfaye, S., Eshetu, Z., Ali, A., & Dimaras, H. (2023). Exploring the knowledge, attitudes, and practice towards child eye health: A qualitative analysis of parent experience focus groups. PloS One, 18(11), e0293595. <https://doi.org/10.1371/journal.pone.0293595>
- (22) Atlaw, D., Shiferaw, Z., Sahiledengele, B., Degno, S., Mamo, A., Zenbaba, et al. (2022). Prevalence of visual impairment due to refractive error among children and adolescents in Ethiopia: A systematic review and meta-analysis. PLOS ONE, 17(8), e0271313. <https://doi.org/10.1371/journal.pone.0271313>
- (23) Assem, A. S., Tegegne, M. M., & Fekadu, S. A. (2021). Prevalence and associated factors of myopia among school children in Bahir Dar city, Northwest Ethiopia, 2019. PLOS ONE, 16(3), e0248936. <https://doi.org/10.1371/journal.pone.0248936>
- (24) Gebreselassie, M., Sisay, H., & Desta, K. (2023). Spectacles Under Utilization and Associated Factors Among Adults in Hawassa, South Ethiopia, June, 2022. Clinical Optometry, Volume 2023(15), 303–311. <https://doi.org/10.2147/ocpt.o.s426032>
- (25) Fekadu, S., Assem, A., & Mengistu, Y. (2020). Near Vision Spectacle Coverage and Associated Factors Among Adults Living in Finote Selam Town, Northwest Ethiopia: Community-Based Cross-Sectional Study. Clinical ophthalmology (Auckland, N.Z.), 14, 3121–3130. <https://doi.org/10.2147/OPHT.S278262>
- (26) Eyu-Ethiopia. (2024). Eyu-Ethiopia - STRATEGIC PLAN 2024 - 2028. In eyuethiopia.org. Eyu-Ethiopia. <https://eyuethiopia.org/admin/Eyu-Ethiopia%20Final%20Strategic%20Plan.pdf>
- (27) Abraha, A., Myléus, A., Byass, P., Kahsay, A., & Kinsman, J. (2019). Social determinants of under-5 child health: A qualitative study in Wolkayit Woreda, Tigray Region, Ethiopia. PLOS ONE, 14(6), e0218101. <https://doi.org/10.1371/journal.pone.0218101>
- (28) Britannica. (2024). Ethiopia. Encyclopedia Britannica. <https://www.britannica.com/place/Ethiopia/Health-and-welfare>
- (29) Merga, B. T., Balis, B., Bekele, H., & Fekadu, G. (2022). Health insurance coverage in Ethiopia: financial protection in the Era of sustainable development goals (SDGs). Health Economics Review, 12(1). <https://doi.org/10.1186/s13561-022-00389-5>
- (30) Ethiopian Health Insurance Agency. (2024). Ethiopian Health Insurance | MINISTRY OF HEALTH - Ethiopia. Moh.gov.et; Ministry of Health - Ethiopia. https://www.moh.gov.et/en/Ethiopian_Health_Insurance?language_content_entity=en
- (31) Likka, M. H., Sinkie, S. O., & Megerssa, B. (2019). Willingness to Pay for Community-Based Health Insurance among Rural Households of Southwest Ethiopia. ArXiv (Cornell University). <https://doi.org/10.48550/arxiv.1912.04281>
- (32) Feyssa, M. D. (2024). Ethiopia's health sector evolution and WHO's mandate. Bulletin of the World Health Organization, 102(11), 771–771A. <https://doi.org/10.2471/blt.24.292481>
- (33) Hendrix, N., Warkaye, S., Tesfaye, L., Woldekidan, M. A., Arja, A., Sato, R., et al. (2023). Estimated travel time and staffing constraints to accessing the Ethiopian health care system: A two-step floating catchment area analysis. Journal of global health, 13, 04008. <https://doi.org/10.7189/jogh.13.04008>
- (34) Exemplars in Global Health. (2025). Challenges. Exemplars in Global Health; Exemplars. <https://www.exemplars.health/topics/under-five-mortality/ethiopia/challenges>
- (35) Ministry of Health - Ethiopia. (2020). National Health Equity Strategic Plan 2020/21-2024/25. <https://www.afro.who.int/countries/ethiopia/publication/national-health-equity-strategic-plan-2020-21-2024-25>
- (36) Dilnessa Fentie, Solomon, Y., & Tameru Menberu. (2023). The burden of visual impairment among Ethiopian adult population: Systematic review and meta-analysis. PloS One, 18(7), e0288707–e0288707. <https://doi.org/10.1371/journal.pone.0288707>
- (37) Damtew, B., & Yigezu, M. (2024). Perspectives of care providers on obstacles to healthcare access for people with disabilities in Ethiopia: a qualitative investigation. BMC Health Services Research, 24(1). <https://doi.org/10.1186/s12913-024-11822-2>
- (38) Ministry of Health - Ethiopia. (2021). Health Sector Transformation Plan II (HSTP II) 2020/21-2024/25. In dataverse.nipn.eph.gov.et. Ministry of Health - Ethiopia. <http://www.dataverse.nipn.eph.gov.et/handle/123456789/1414>
- (39) ICRC Ethiopia. (2024, May 29). Ethiopia: Thousands of people unable to access healthcare services after upsurge in violence | ICRC. Wwww.icrc.org; International Committee of the Red Cross. <https://www.icrc.org/en/document/ethiopia-thousands-people-unable-access-healthcare-services-after-upsurge-violence>
- (40) Cure Blindness Project. (2025). New Strategic Plan Will Transform Access to Eye Care Across Ethiopia. Cure Blindness Project; The Himalayan Cataract Project. <https://cureblindness.org/news/new-strategic-plan-will-transform-access-to-eye-care-across-ethiopia>
- (41) Berhane, Y., Worku, A., Bejjiga, A., Adamu, L., Alemayehu, W., Bedri, A., et al. (2008). Prevalence and causes of blindness and Low Vision in Ethiopia. Ethiopian Journal of Health Development, 21(3). <https://doi.org/10.4314/ejhd.v21i3.10050>
- (42) Soboka, J. G., Teshome, T. T., Salamanca, O., & Calise, A. (2022). Evaluating eye health care services progress towards VISION 2020 goals in Gurage Zone, Ethiopia. BMC Health Services Research, 22(1). <https://doi.org/10.1186/s12913-022-08144-6>
- (43) The Peek Vision Foundation. (2021, August 18). Bringing better vision to children in Ethiopia through a new School Eye Health programme - Peek Vision. Peekvision.org/; The Peek Vision Foundation. <https://peekvision.org/resources/news/bringing-better-vision-to-children-in-ethiopia-through-a-new-school-eye-health-programme/>
- (44) Sherief, S. T., Tesfaye, S., Eshetu, Z., Ali, A., & Dimaras, H. (2023). Child eye health in Ethiopia: a mixed methods analysis of policy and commitment to action. BMJ Open, 13(11), e075622. <https://doi.org/10.1136/bmjopen-2023-075622>
- (45) Schools and Health. (2021). Ethiopia to Integrate Eye Health in School Strategy. Schoolsandhealth.net; The Partnership for Child Development. <https://schoolsandhealth.net/News/Pages/Ethiopia%20to%20Integrate%20Eye%20Health%20in%20School%20Strategy.html>
- (46) Andrade, S. (2024, March 20). HCP Cureblindness Strengthens Primary Eye Care in Ethiopia through Training and Policy Support. Iapb.org; The International Agency for the Prevention of Blindness. <https://www.iapb.org/blog/hcp-cureblindness-strengthens-primary-eye-care-in-ethiopia-through-training-and-policy-support/>
- (47) Clinton Health Access Initiative. (2020). Final Report: Assistive Technology Country Capacity Assessment in seven African Countries using WHO Assistive Technology Assessment-Capacity Tool. In AT2030.org. AT2030, UK Aid. https://at2030.org/static/at2030_core/outputs/Final_Draft_CCA_in_7_African_Countries_web_16eOgiE.pdf
- (48) Clinton Health Access Initiative. (2020). Product Narrative: Eyeglasses - A Market Landscape and Strategic Approach to Increasing Access to Eyeglasses in Low- and Middle-Income Countries. AT2030, Atscale, UK Aid. https://static1.squarespace.com/static/5b3f6ff1710699a7eb64495/t/5fe23eb36d6a460dec1bfd50/1608662709292/Product_Narrative-Eyeglasses_a11y.pdf
- (49) Assefa, Y., Hill, P. S., Gilks, C. F., Adamuss, M., Tesfaye, D., & Van Damme, W. (2020). Primary health care contributions to universal health coverage, Ethiopia. Bulletin of the World Health Organization, 98(12), 894–905A. <https://doi.org/10.2471/BLT.19.248328>
- (50) Alemu, T., Seyum, D., Tesfaye, S., Sisay, A., Wardle, A., & Sorato, M. M. (2024). Lived experience and lessons learned from the support of two secondary eye care units to improve cataract surgery and refractive services in two regions of Ethiopia: health system-strengthening support. International Health, ihae074. <https://doi.org/10.1093/inthealth/ihae074>
- (51) The Fred Hollows Foundation. (2024, July 26). Taking eye care to the people in Ethiopia - The International Agency for the Prevention of Blindness. The International Agency for the Prevention of Blindness. <https://www.iapb.org/blog/taking-eye-care-to-the-people-in-ethiopia/>
- (52) Alemayehu, A. M., Belete, G. T., & Adimasu, N. F. (2018). Knowledge, attitude and associated factors among primary school teachers regarding refractive error in school children in Gondar city, Northwest Ethiopia. PLOS ONE, 13(2), e0191199. <https://doi.org/10.1371/journal.pone.0191199>
- (53) Biza, M., Mossie, A., Woldemichael, K., & Gelaw, Y. (2013). Visual impairment and road traffic accidents among drivers in Jimma Town, Southwest Ethiopia. Ethiopian medical journal, 51(2), 123–132. <https://pubmed.ncbi.nlm.nih.gov/24079156/>
- (54) Anley, D. T., Anteneh, R. M., Tegegne, Y. S., Ferede, O. Iemita, Zemene, M. A., Angaw, D. A., & Teym, A. (2022). Prevalence of visual impairment and associated factors among children in Ethiopia: Systematic review and meta-analysis. PLOS ONE, 17(7), e0271433. <https://doi.org/10.1371/journal.pone.0271433>
- (55) World Health Organization. (2021). Integrated people-centred eye care, including preventable vision impairment and blindness Global targets for 2030 Draft decision. In World Health Organization. https://apps.who.int/gb/ebwha/pdf_files/WHA74/A74_9Add3-en.pdf
- (56) World Health Organization. (2024). SPECS 2030. Wwww.who.int; WHO. <https://www.who.int/initiatives/specs-2030>